

Anchoring Device for Bridge Prestressed Beam Or Post Tension Beam

Pioneer in CFRP, Smart & Clever for Composites

Structural Strengthening For Bridge Prestressed Beam & Slab Together with Build Anchor Device



Pages: 1

[Photo] Stretch End of Device



[Photo] Fix End of Device

Description		Technical Data Specification			
Item	Туре	Thickness	Width	Length	Weight
		mm	mm	mm	kg
Build Anchor Device	Stretch End	80	360	500	
Build Anchor Device	Fix End	56	360	500	

Build Anchor Device

Anchor Device for Bridges Beam

Build Anchor Device®,

Is install for <u>Pre-tension or Post-tension</u> on bridge, railway deck & building beam with are finding applications for the reinforcement of new or existing strengthening of structures. And the ability to dissipate energy as required in earthquake scenarios make them eminently suitable for a wide range of applications and they contribute significantly to lowering life cycle costs and increasing safety.

Laminates Strip Carbon Fiber of Putrusion Extruded Oriented, continuous carbon filaments which are held in position by a lightweight, Laminates Strip of **CARBON FIBER Build Strip PB®** has robust handling and rapid wet-out characteristics which make it ideal for on-site strengthening of structural of buildings, bridges, beams, structures. Additionally, **CARBON FIBER Build Strip PB®** is compatible with all commonly used adhesive systems which can be applied using a variety of wet-out/adhesive infusion techniques.

Uses Loading Increase

For Strengthening Bridge Beam Reinforced Concrete

Increase of Supporting Live Load in Bridge Increase of Supporting Traffic Growth on Bridges


Select Thickness x Wide Of Below List Products	Thickness [mm]	Width [mm]	Roll Size [Meter]	Weight [kg/Meter] or [kg/roll]
Build Strip PB 1050	5.00	100	50	0.800	40.000
Build Strip PB 1030	3.00	100	100	0.480	48.000
Build Strip PB 1020	2.00	100	100	0.320	32.000
Build Strip PB 1014	1.40	100	100	0.224	22.400
Build Strip PB 550	5.00	50	50	0.400	20.000
Build Strip PB 530	3.00	50	100	0.240	24.000
Build Strip PB 520	2.00	50	100	0.160	16.000
Build Strip PB 514	1.40	50	100	0.112	11.200



Build Strip PB, High Tensile Strength & Tensile Modulus, Carbon Fiber Reinforced Plastic, [Strip/Plate Laminates



How to Installation/Process of LaMaCo Build Anchor Device at Prestressed Beam





1] Mapping Location

2] Drilling Holes




3] Diamond Saw Cut



4] Hack Out or Grooving, Depth Set 30mm



5] Patching to Leveling



6] Fixing Epoxy Adhesive & Insert Anchor Bolt



How to Installation/Process of LaMaCo Build Anchor Device at Prestressed Beam





7] Install of LaMaCo-Build Anchor Device

8] Install & Fix the Bolt & Nut




9] Install & Fix the Side Bolt & Nut



10] Preparation the LaMaCo-Build Strip PB



11] Install the Build Strip PB in Position



12] Fixing Jack Pump



How to Installation/Process of LaMaCo Build Anchor Device at Prestressed Beam





13] Install of Support Frame


14] Laying the LaMaCo-Epo Adhesive Strip




15] Jack Pump for Prestress Stretching



16] Once Finished, Remove the Thread Rod



17] Fixing of Tablet at 600-1500mm each



18] Fireproofing Protection on Build Strip PB



Build Anchor Device

Anchor Device for Bridges Beam

Manufacturer by:



LaMaCo System Sdn Bhd

407 & 408, Jalan Perusahaan 6, Taman Bandar Baru Mergong, 05150 Alor Star, Kedah. Malaysia Tel: +60-4-7345555

Fax : +60-4-7724444 Http : www.lamaco.com Email : info@lamaco.com

WhatApp & WeChat & Line: +60 19 478 6611

+60 19 448 6611

Important 1:

While the information and data sheet contained in this promotional literature are presented in good faith and believed to be reliable, they do not constitute a part of our terms and conditions of sales unless specifically incorporated in our Order acknowledgement. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data sheet are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data sheet or products can be used without infringing patent of third parties.

Important 2:

LaMaCo Malaysia products are not guaranteed against defective materials and manufacture & are sold subject to its standard Terms & Conditions of sale, copies of which may be obtained on request. Whilst **LaMaCo Malaysia** endeavors to ensure that any advice, recommendation, specification or information is accurate and correct, it cannot- because it has no direct or continuous control over where or how its products are applied – accept any liability either directly or indirectly arising from the use of its products, whether or not in accordance any advice, specification, recommendation or information given by it.

Health & Safety

Some of the components of this product may be hazardous during mixing and application. Please consult the relevant Health & Safety Data Sheets, available from **LaMaCo Malaysia** on request and sent with each delivery.





